NINGBO JUDIN SPECIAL MONOFILAMENT CO.,LTD

WEB: WWW.JUDINGROUP.COM WWW.JUDIN-LINE.COM

CELL: +86 13586680186

EMAIL: INFO@JUDIN-LINE.COM

ADD: NO.288, XIANGSHAN EAST ROAD, CIXI CITY, NINGBO, 315311, CHINA





JUDIN GROUP







15000 sam

SELF-OWNED FACTORY

In our own 15,000 square metre factory, you can efficiently manage your supply chain and production processes, and better monitor product quality and delivery times.



80+ COUNTRIES

OUR CLIENT BASE SPANS ACROSS

Our customer base is spread over more than 80 countries and our products or services are recognised and trusted by customers in different countries and regions.



4000+

TONS ANNUAL PRODUCTION CAPACITY

Our factory has an annual output of more than 4,000 tons, which can meet the needs of various customers and ensure continuous supply.



SUCCESSSFUL CUSTOMIZED SAMPLES

We focus on understanding our customers' needs and brand values to provide tailor-made solutions, with a total of 1,000+ customised samples provided.









ISO9001

















Raw material warehouse -1000 tons of reserves



Exstrusion: 10 professional extrusion line



Test: Test strength every batch



Measure: Measure diameter every batch



Winding: Auto machine to ensure the length



Bulk Packing



Box Packing



Container transport



Popular choice

Excellent performance

Standard Trimmer Line

Made of nylon material, offers both durability and cost-effectiveness. Specially processed using a unique drawing technique to ensure the material delivers optimal performance.

- Obvious price advantage
- ※ Universal compatibility
- Standard durability
- Suitable for various common applications
- Customizable shapes of cross-section
- * Diameters available in 0.65,0.80, 0.95 inches, etc.
- ※ Various color, label, and packaging choices.

Professional Trimmer Line

The top choice for professional markets. Made from premiumco-polymer materials, processed with special techniques, it has better wear resistance, smoother surface, higher lighttransmittance, higher softness, higher elongation and strength, longer service life, and higher efficiency.

- Excellent wear resistance
- Long service life
- ※ High flexibility
- * Perfect combination of high strength and high extensibility
- * Strong impact resistance, highly durable
- * Suitable for various temperatures and environments
- * Resistant to deformation in high and low temperatures
- Available in customizable specifications: 0.065",0.080"




Round

Most popular line, has durable and balance cutting performance. Fits soft & fresh grass




Dual Power Round Outer layer improves wear

Inner layer increases strength



Square

Dimond sharp edge offers excellent cutting performance. Fits tough & strong grass or



Dual Power Square

Outer layer improves wear Inner layer increases strength Sharp edge improves efficiency



5 sharp angles greatly improve cutting work.

Dual Power Twist

Outer layer improves wear

Spiral shape reduces noise

Star



Hexagon

Multiple cut edges provide efficient cutting, high durability,



Saw Teeth

Sharp and jagged edges, adapted to more complex environments



Metal

Metallic interior and soft outer layer provides high wear resistance



Square Twist

Edge is sharp, high durability, twist The gap diversion air reduce noisy design with low vibration and are The inner layer increases strength ideal for handling heavy grass and weeds



Ellipse Spiral


Soft cutting edge



Dimple

Noise reduction Superior wear resistance Long service life and durable





Chess


Unique design, catch your eyes. Dimond shape with sharp edge provides excellent cutting performance, especially for tough & strong grass or weed.



Chess Twist

One layer improve the wear resistance, another layer increase intensity Easier to see in low light conditions Heavy use on all types of

vegetation Spiral shape diverses air to reduce noise



Double Edge

Four corners improve the wear resistance Inner layer increase intersity Easier to see in low light conditions

Heavy use on all types of vegetation



noise



Double Edge Twist

Four corners improve the wear resistance Inner layer increase intersity

Easier to see in low light conditions Heavy use on all types of vegetation Spiral shape diverses air to reduce



Double Layer

One layer improve the wear resistance Another Inner layer increase intersity Easier to see in low light

conditions Heavy use on all types of vegetation



Double Layer Twist

One layer improve the wear resistance Another Inner layer increase

Easier to see in low light conditions Heavy use on all types of vegetation Spiral shape diverses air to reduce noise

intersity







Cross

Soft cutting corners improve efficiency and keep the wearresistence. Multiple cut edges provide efficient cutting, high durability



Four-leaf clover

Soft cutting corners improve efficiency and keep the wearresistence.



layer increasesintensity.

3 CORNERS

SHARP edge provides excellent

cutting performance.Inprove

cutting efficiency.

Four-leaf clover twist

Soft cutting corners improve efficiency and keep the wearresistence, The gap diversion air design reduces noise.



SIZE

CUSTOMIZATION

1.6mm 2.0mm 2.4mm 2.7mm 3.0mm 3.3mm 3.5mm 4.0mm 0.050" 0.120" 0.158" 0.130" 0.138" CARD HEAD 15m BLISTER 15m/1/4LB/1/2LB/1LB

SP00L 1LB/2LB/3LB/4LB/5LB/10LB/20LB

RIMMER LINE PROFESSIONAL GRADE



PACKING











Blister-1

Blister-2

Blister-3

Blister-4

Blister-5







Blister-7



Spool



Round Card



Card Head



Shelf



Sandwich Blister



Tube



Bundle



Paper Box

DIAMETER	1.3mm[0.050"]	1.6mm[0.065"]	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]
ROUND	15m						
STAR	15m						
SQUARE	15m						

15m 15m 15m 15m 15m 15m 192 pcs 120pcs QTYICTN 240 pcs 168 pcs 144 pcs 120 pcs CARTON SIZE 48x32x40cm 48x32x40cm 48x32x40cm 48x32x40cm 48x32x40cm 48x32x40cm 48x32x40cm

Small Blister

DIAMETER	1.3mm[0.050"]	1.6mm[0.065"]	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]
ROUND	15m						
STAR	15m						
SQUARE	15m						
TWIST	15m						
QTYICTN	192 pcs	192 pcs	120 pcs	120 pcs	80 pcs	80pcs	80 pcs
CARTON SIZE	48x32x40cm	48x32x40cm	48x32x40cm	48x32x40cm	55x30x40cm	55x30x40cm	55x30x40cm

1/4LB Blister

DIAMETER	1.3mm[0.050"]	1.6mm[0.065"]	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]
ROUND	74m	49m	31m	21m	17m	13m	11m
STAR	99m	65m	41m	29m	22m	18m	15m
SQUARE	67m	44m	28m	19m	15m	12m	10m
TWIST	99m	65m	41m	29m	22m	18m	15m
QTYICTN	80 pcs	80pcs	80 pcs				
CARTON SIZE	55x30x40cm						

1/2LB Blister

DIAMETER	1.6mm[0.065"]	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]	4.0mm[0.158"]
ROUND	98m	63m	43m	34m	28m	23m	16m
STAR	131 m	84m	58m	46m	37m	31m	21m
SQUARE	89m	57m	39m	31m	25m	21m	14m
TWIST	131m	84m	58m	46m	37m	31m	21m
QTYICTN	40 pcs	40 pcs	40 pcs	40 pcs	40pcs	40pcs	40pcs
CARTON SIZE	34x34x43cm						

1LB Blister

DIAMETER		2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]	3.5mm[0.138"]	4.0mm[0.158"]
ROUND		126m	87m	69m	56m	46m	41m	31m
STAR		168m	116m	92m	75m	62m	55m	42m
SQUARE		114m	79m	63m	51m	42m	37m	29m
TWIST		168m	116m	92m	75m	62m	55m	42m
QTYICTN		20 pcs						
CARTON SIZ	E	41x41x24cm						

1LB Spool

DIAMETER	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]	3.5mm[0.138"]	4.0mm[0.158"]
ROUND	126m	87m	69m	56m	46m	41m	31m
STAR	168m	116m	92m	75m	62m	55m	42m
SQUARE	114m	79m	63m	51m	42m	37m	29m
TWIST	168m	116m	92m	75m	62m	55m	42m
QTYICTN	24 pcs	24pcs	24 pcs				
CARTON SIZE	41x27x50cm						

3LB Spool

DIAMETER	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]	3.5mm[0.138"]	4.0mm[0.158"]
ROUND	377m	262m	207m	168m	139m	123m	94m
STAR	503m	349m	276m	224m	185m	164m	126m
SQUARE	343m	238m	188m	152m	126m	112m	86m
TWIST	503m	349m	276m	224m	185m	164m	126m
QTYICTN	8 pcs						
CARTON SIZE	37x37x22cm						

5LB Spool

DIAMETER	2.0mm[0.080"]	2.4mm[0.095"]	2.7mm[0.105"]	3.0mm[0.120"]	3.3mm[0.130"]	3.5mm[0.138"]	4.0mm[0.158"]
ROUND	628m	437m	345m	279m	231m	205m	157m
STAR	839m	582m	460m	373m	308m	274m	210m
SQUARE	571m	397m	314m	254m	210m	187m	143m
TWIST	839m	582m	460m	373m	308m	274m	210m
QTYICTN	4 pcs						
CARTON SIZE	37x37x20cm						

TRIMMER HEADS

JH-101



JH-106



JH-102



JH-103



JH-104

JH-108A



JH-105



JH-108T



JH-118

JH-123



JH-119

JH-124



JH-120

JH-125



JH-121

JH-201



JH-122



JH-202





JH-109



JH-113



JH-110 PA



JH-114



JH-110 PP



JH-115



JH-111



JH-116






JH-112

JH-117




JH-203



JH-208



JH-204



JH-209



JH-205



JH-210



JH-206



JH-211



JH-207



JH-213

Ş














JD-BL8T01 DIAMETER (MM) 200/230/255 BORE (MM) 25.4 THICKNESS (MM) 1.4/1.6/1.8



JD-BL30T01 DIAMETER (MM) 255 30 25.4 THICKNESS (MM) 1.6/1.8



JD-BL40	T01	JD-BL40T02		
DIAMETER (MM)	255	DIAMETER (MM)	23	
TEETH	30	TEETH	4	
BORE (MM)	25.4	BORE (MM)	25.	
THICKNESS (MM)	1.6/1.8	THICKNESS (MM)	1.	



25.4

DIAMETER (MM) BORE (MM) THICKNESS (MM)

ID-RI 2T01

DIAMETER (MM)	255/305/355
TEETH	2
BORE (MM)	25.4
THICKNESS (MM)	1 //1 //1 0

20-0	L2101	
IETER (MM)	255/305/355	

DIAMETER (MM)	255/305/355
TEETH	2
BORE (MM)	25.4
THICKNESS (MM)	1.4/1.6/1.8

JD-BL2T02

DIAMETER (MM)	255/305	
TEETH	2	
BORE (MM)	25.4/20	
THICKNESS (MM)	3.0	

JD-BL2T03

305
2
25.4/20
1.6/1.8

JD-BL2T04

DIAMETER (MM)	ER (MM) 255/305/355	
TEETH	2	
BORE (MM)	25.4	
THICKNESS (MM)	1.4/1.6/1.8	

JD-BL3T01 DIAMETER (MM)

25.4

1.8/2.0

THICKNESS (MM)

BORE (MM)



JD-BL3T02

DIAMETER (MM)	255/305/355	
TEETH	3	
BORE (MM)	25.4	
THICKNESS (MM)	1.4/1.6	



JD-BL3T03

DIAMETER (MM)	230/255
TEETH	3
BORE (MM)	25.4
THICKNESS (MM)	1.6/1.8/2.0



JD-BL4T01

DIAMETER (MM)	255
TEETH	4
BORE (MM)	25.4
THICKNESS (MM)	1.6/1.8



JD-BL4T02

DIAMETER (MM)	200/230/25	
TEETH		
BORE (MM)	25.	
THICKNESS (MM)	1.4/1.	



JD-BL4T03

DIAMETER (MM)	300	
TEETH	4	
BORE (MM)	25.4	
THICKNESS (MM)	3.0/4.0	



JD-BL40T04

DIAMETER (MM)	255
TEETH	40
BORE (MM)	25.4
THICKNESS (MM)	1.3



JD-BL40T05

DIAMETER (MM)	25
TEETH	
BORE (MM)	25
THICKNESS (MM)	1



255
40
25.4
1.3




JD-BL40T06

DIAMETER (MM)	25
TEETH	4
BORE (MM)	25.
THICKNESS (MM)	1.



JD-BL40T07

DIAMETER (MM)	25
TEETH	
BORE (MM)	25
THICKNESS (MM)	1



JD-BL80T01 DIAMETER (MM) TEETH BORE (MM) 25.4 THICKNESS (MM) 1.6/1.8