



E8ARCA



JUDIN GROUP
MONOFILAMENT & NET

Ningbo Judin Special Monofilament Co.,Ltd

Web: www.judingroup.com www.judin-line.com

Cell: +86 13586680186 Email: info@judin-line.com

Add: No.288, Xiangshan East Road, Cixi City, Ningbo, 315311, China

**NINGBO JUDIN SPECIAL
MONOFILAMENT CO.,LTD**

ABOUT US



Ningbo Judin is leading trimmer factory in China with over 15 years experience as supplier of world famous companies such as Home Depot, POSITEC, HYUNDAI, Kingfisher, OBI, etc.

Strong QC team following ISO9001:2000 standards while implementing QC procedures throughout the production process.



PRODUCTS PROCESS



Exstrusion

10 professional extrusion line



Test

Test strength every batch



Measure

Measure diameter every batch



Winding

Auto machine to ensure the length



Packing

6 packing line
10x40HQ per month



Warehouse




Factory Area: 10000m²





Round:




Most commonly used shape
Good performance provides a balanced cutting

SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Hexagon:




Sharp cutting edge to improve efficiency


SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Square:




Diamond-like designed edge for greater cutting power
Cut through heavy or thick weeds very easily

SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Saw teeth:




Strong and highly durable with teeth like a serrated blade
Heavy use on all types of vegetation


SIZE	2.4mm	2.7mm	3.0 mm	3.3 mm	3.5mm	4.0mm
PACK	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m					
Blister	 15m / 1/2LB / 1LB					
Spool	 3LB / 5LB / 10LB / 20LB					



Star:




Sharp cutting edge to improve efficiency
Acute angle extra clean cutting


SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Metal:




Inner metal wire make it stronger
Outer layer improve the wear resistance

SIZE	2.4mm	2.7mm	3.0 mm	3.3 mm	3.5mm	4.0mm
PACK	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m					
Blister	 15m / 1/2LB / 1LB					
Spool	 3LB / 5LB / 10LB / 20LB					



Dual Power Round:




A line with extraordinary flexibility that is also highly resistant to notches and abrasion
 Outer layer improves the wear resistance
 Inner layer increases intensity


SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Dual Power Square:




A line with extraordinary flexibility that is also highly resistant to notches and abrasion
 Outer layer improves the wear resistance
 Inner layer increases intensity
 Sharp cutting edge to improve efficiency


SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Dual Power Twist:




A line with extraordinary flexibility that is also highly resistant to notches and abrasion
 Outer layer improves the wear resistance
 Inner layer increases intensity
 Diversion of air to low noise

SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Twist:




The gap diversion of air reduces noise
 Sharp cutting edge

SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Spiral:




The gap diversion of air reduces noise
 Soft cutting edge

SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Dimple:




Long service life and durable
 Diversion of air to low noise
 Superior resistance to wear at the eyelet


SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Chess:




One layer improve the wear resistance, another layer increase intensity
Easier to see in low light conditions
Heavy use on all types of vegetation

SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Double Edge:




The duo-extruded 2 unique materials in the line creates added durability
Inner layer increase intensity, four corners improve the wear resistance

SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Double Layer:




One layer improve the wear resistance, another layer increase intensity
Easier to see in low light conditions
Heavy use on all types of vegetation

SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Chess Twist:

One layer improve the wear resistance, another layer increase intensity
Easier to see in low light conditions
The gap diversion air reduce noisy

SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Double Edge Twist:




The duo-extruded 2 unique materials in the line creates added durability
Inner layer increase intensity, four corners improve the wear resistance
The gap diversion air reduce noisy

SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



Double Edge Twist:

One layer improve the wear resistance, another layer increase intensity
Easier to see in low light conditions
The gap diversion air reduce noisy

SIZE	1.3mm	1.6mm	2.0 mm	2.4 mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACK	0.050"	0.065"	0.080"	0.095"	0.105"	0.120"	0.130"	0.138"	0.158"
Card Head	 15m								
Blister	 15m / 1/2LB / 1LB								
Spool	 3LB / 5LB / 10LB / 20LB								



PROFESSIONAL GRADE

Special newly upgraded copolymer formulation for excellent wear, durability and cutting performance



REDUCED NOISE VIBRATION

The line put to use aerodynamic shape, produces less noise, vibration and drag. A perfect combination of energy efficiency and cutting performance



FAST CUTTING

This string trimmer line provides a quick cut with a cleaner, straight edge on a hedge or grass.

With JD3 Pro, a high-strength mowing line is realized. The triple component line is made from high-quality polyamide, increasing the service life of the mowing line. The new shape of weed eater string has a sharper edge. This means that even dense weed patches can be easily cleared.








Thicker diameter plus square shape with four sharp edges for cutting at multiple angles. Suitable for mowing dense weeds, thicker shrubs, low lawns, lawn edges. Save your time and reduce the power consumption of your mower. Thanks to the twist, the whistling noise generated when mowing is noticeably quieter.

What is more, the new sharper edge ensures improved mowing performance and neatly trimmed edges. The high-tech mowing line is compatible with many mowing heads.

PRODUCT SPECIFICATIONS AND PACKAGING							
SIZE	2.0mm	2.4mm	2.7mm	3.0mm	3.3mm	3.5mm	4.0mm
PACKAGE	0.080"	0.095"	0.105'	0.120'	0.130"	0.138'	0.158"
1LB DOUNT	◆	◆	◆	◆	◆	◆	◆
SHELF	◆	◆	◆	◆	◆	◆	◆
3LB SPOOL	◆	◆	◆	◆	◆	◆	◆
5LB SPOOL	◆	◆	◆	◆	◆	◆	◆



DESCRIPTION

PICTURES	Diameter	Round	Star	Square	Twist	QTY/CTN	CARTON SIZE
	1.3mm(0.050")	● 15m	★ 15m	■ 15m	◆ 15m	288 pcs	48x32x40 cm
	1.6mm(0.065")	● 15m	★ 15m	■ 15m	◆ 15m	240 pcs	48x32x40 cm
	2.0mm(0.080")	● 15m	★ 15m	■ 15m	◆ 15m	192 pcs	48x32x40 cm
	2.4mm(0.095")	● 15m	★ 15m	■ 15m	◆ 15m	168 pcs	48x32x40 cm
	2.7mm(0.105")	● 15m	★ 15m	■ 15m	◆ 15m	144 pcs	48x32x40 cm
	3.0mm(0.120")	● 15m	★ 15m	■ 15m	◆ 15m	120 pcs	48x32x40 cm
	3.3mm(0.130")	● 15m	★ 15m	■ 15m	◆ 15m	120 pcs	48x32x40 cm
	1.3mm(0.050")	● 15m	★ 15m	■ 15m	◆ 15m	192 pcs	48x32x40 cm
	1.6mm(0.065")	● 15m	★ 15m	■ 15m	◆ 15m	192 pcs	48x32x40 cm
	2.0mm(0.080")	● 15m	★ 15m	■ 15m	◆ 15m	120 pcs	48x32x40 cm
	2.4mm(0.095")	● 15m	★ 15m	■ 15m	◆ 15m	120 pcs	48x32x40 cm
	2.7mm(0.105")	● 15m	★ 15m	■ 15m	◆ 15m	80 pcs	55x30x40 cm
	3.0mm(0.120")	● 15m	★ 15m	■ 15m	◆ 15m	80 pcs	55x30x40 cm
	3.3mm(0.130")	● 15m	★ 15m	■ 15m	◆ 15m	80 pcs	55x30x40 cm
	1.3mm(0.050")	● 148m	★ 198m	■ 135m	◆ 198m	40 pcs	34x34x43 cm
	1.6mm(0.065")	● 98m	★ 131m	■ 89m	◆ 131m	40 pcs	34x34x43 cm
	2.0mm(0.080")	● 63m	★ 84m	■ 57m	◆ 84m	40 pcs	34x34x43 cm
	2.4mm(0.095")	● 43m	★ 58m	■ 39m	◆ 58m	40 pcs	34x34x43 cm
	2.7mm(0.105")	● 34m	★ 46m	■ 31m	◆ 46m	40 pcs	34x34x43 cm
	3.0mm(0.120")	● 28m	★ 37m	■ 25m	◆ 37m	40 pcs	34x34x43 cm
	2.0mm(0.080")	● 126m	★ 168m	■ 114m	◆ 168m	20 pcs	41x41x24 cm
	2.4mm(0.095")	● 87m	★ 116m	■ 79m	◆ 116m	20 pcs	41x41x24 cm
	2.7mm(0.105")	● 69m	★ 92m	■ 63m	◆ 92m	20 pcs	41x41x24 cm
	3.0mm(0.120")	● 56m	★ 75m	■ 51m	◆ 75m	20 pcs	41x41x24 cm
	3.3mm(0.130")	● 46m	★ 62m	■ 42m	◆ 62m	20 pcs	41x41x24 cm
	3.5mm(0.138")	● 41m	★ 55m	■ 37m	◆ 55m	20 pcs	41x41x24 cm
	4.0mm(0.158")	● 31m	★ 42m	■ 29m	◆ 42m	20 pcs	41x41x24 cm
	2.0mm(0.080")	● 126m	★ 168m	■ 114m	◆ 168m	24 pcs	41x27x50 cm
	2.4mm(0.095")	● 87m	★ 116m	■ 79m	◆ 116m	24 pcs	41x27x50 cm
	2.7mm(0.105")	● 69m	★ 92m	■ 63m	◆ 92m	24 pcs	41x27x50 cm
	3.0mm(0.120")	● 56m	★ 75m	■ 51m	◆ 75m	24 pcs	41x27x50 cm
	3.3mm(0.130")	● 46m	★ 62m	■ 42m	◆ 62m	24 pcs	41x27x50 cm
	3.5mm(0.138")	● 41m	★ 55m	■ 37m	◆ 55m	24 pcs	41x27x50 cm
	4.0mm(0.158")	● 31m	★ 42m	■ 29m	◆ 42m	24 pcs	41x27x50 cm
	2.0mm(0.080")	● 377m	★ 503m	■ 343m	◆ 503m	8 pcs	37x37x22 cm
	2.4mm(0.095")	● 262m	★ 349m	■ 238m	◆ 349m	8 pcs	37x37x22 cm
	2.7mm(0.105")	● 207m	★ 276m	■ 188m	◆ 276m	8 pcs	37x37x22 cm
	3.0mm(0.120")	● 168m	★ 224m	■ 152m	◆ 224m	8 pcs	37x37x22 cm
	3.3mm(0.130")	● 139m	★ 185m	■ 126m	◆ 185m	8 pcs	37x37x22 cm
	3.5mm(0.138")	● 123m	★ 164m	■ 112m	◆ 164m	8 pcs	37x37x22 cm
	4.0mm(0.158")	● 94m	★ 126m	■ 86m	◆ 126m	8 pcs	37x37x22 cm
		2.0mm(0.080")	● 628m	★ 839m	■ 571m	◆ 839m	4 pcs
2.4mm(0.095")		● 437m	★ 582m	■ 397m	◆ 582m	4 pcs	37x37x20 cm
2.7mm(0.105")		● 345m	★ 460m	■ 314m	◆ 460m	4 pcs	37x37x20 cm
3.0mm(0.120")		● 279m	★ 373m	■ 254m	◆ 373m	4 pcs	37x37x20 cm
3.3mm(0.130")		● 231m	★ 308m	■ 210m	◆ 308m	4 pcs	37x37x20 cm
3.5mm(0.138")		● 205m	★ 274m	■ 187m	◆ 274m	4 pcs	37x37x20 cm
4.0mm(0.158")		● 157m	★ 210m	■ 143m	◆ 210m	4 pcs	37x37x20 cm



TRIMMER

LINE DIAMETER / MM

TRIMMER	LINE DIAMETER / MM	3.3	3.5	4.0				
HIGH WHEEL								
GAS		2.0	2.4	2.7	3.0	3.3		
CORDLESS		1.6	2.0	2.4				
ELECTRIC		1.6	2.0					

Standard Colours





Product packaging



WEED LEVEL



Trimmer Line Tip



Packing




TRIMMER HEADS



TRIMMER HEADS



BRUSH CUTTER BLADE



JD-BL2T01

Diameter(mm):
255 / 305 / 355

Teeth:2

Bore(mm):25.4

Thickness(mm):
1.4 / 1.6 / 1.8



JD-BL2T02

Diameter(mm):
255 / 305

Teeth:2

Bore(mm):25.4/20

Thickness(mm):
3.0



JD-BL2T03

Diameter(mm):
305

Teeth:2

Bore(mm):25.4/20

Thickness(mm):
1.6 / 1.8



JD-BL2T04

Diameter(mm):
255 / 305 / 355

Teeth:2

Bore(mm):25.4

Thickness(mm):
1.4 / 1.6 / 1.8



JD-BL3T01

Diameter(mm):
255 / 270

Teeth:3

Bore(mm):25.4

Thickness(mm):
1.8 / 2.0



JD-BL3T02

Diameter(mm):
255 / 305 / 355

Teeth:3

Bore(mm):25.4

Thickness(mm):
1.4 / 1.6



JD-BL3T03

Diameter(mm):
230 / 255

Teeth:3

Bore(mm):25.4

Thickness(mm):
1.6 / 1.8 / 2.0



JD-BL4T01

Diameter(mm):
255

Teeth:4

Bore(mm):25.4

Thickness(mm):
1.6 / 1.8



JD-BL4T02

Diameter(mm):
200 / 230 / 255

Teeth:4

Bore(mm):25.4

Thickness(mm):
1.4 / 1.6



JD-BL4T03


Diameter(mm):
300

Teeth:4

Bore(mm):25.4

Thickness(mm):
3.0 / 4.0

BRUSH CUTTER BLADE




JD-BL8T01

Diameter(mm):
200 / 230 / 255

Teeth:8

Bore(mm):25.4

Thickness(mm):
1.4 / 1.6 / 1.8



JD-BL30T01

Diameter(mm):
255

Teeth:30

Bore(mm):25.4

Thickness(mm):
1.6 / 1.8




JD-BL40T01

Diameter(mm):
255

Teeth:40

Bore(mm):25.4

Thickness(mm):
1.6 / 1.8



JD-BL40T02

Diameter(mm):
230

Teeth:40

Bore(mm):25.4

Thickness(mm):
1.3




JD-BL40T03

Diameter(mm):
255

Teeth:40

Bore(mm):25.4

Thickness(mm):
1.3




JD-BL40T04

Diameter(mm):
255

Teeth:40

Bore(mm):25.4

Thickness(mm):
1.3



JD-BL40T05

Diameter(mm):
255

Teeth:40

Bore(mm):25.4

Thickness(mm):
1.3




JD-BL40T06

Diameter(mm):
255

Teeth:40

Bore(mm):25.4

Thickness(mm):
1.3




JD-BL40T07

Diameter(mm):
255

Teeth:40

Bore(mm):25.4

Thickness(mm):
1.3



JD-BL80T01


Diameter(mm):
255

Teeth:80

Bore(mm):25.4

Thickness(mm):
1.6 / 1.8

Trimmer line



Garden tools

NOTE BOOK

A series of horizontal lines forming a note-taking area on the right side of the page.

